



VENUS-50



GTC 50



GTA 50



GTA 125

Engine

Displacement	49.3 c.c.	49.3 c.c.	49.3 c.c.	124 c.c.
Type	2-stroke	2-stroke	2-stroke	4-stroke
Cooling	Air Cooled	Air Cooled	Liquid Cooled/Air Cooled	Air Cooled
Starting System	Electric and Kick	Electric and Kick	Electric and Kick	Electric and Kick
Transmission	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)

Suspension

Front Suspension	Hydraulic Telescopic Fork	Grease Shock Absorber	Grease Shock Absorber	Grease Shock Absorber
Rear Suspension	Hydraulic Shock Absorber		Hydraulic Shock Absorber	Hydraulic Shock Absorber

Brake

Front Brake	Disc	Disc	Disc	Disc
Rear Brake	Drum	Drum	Drum	Disc

Tire

Front Tire	120x70-12	120x70-12	130x70-12	120x70-12
Rear Tire	120x70-12	120x70-12	130x70-12	120x70-12
Rim (Standard Option)	Alloy	Alloy	Alloy	non

Dimension

Dry Weight	90kg	78kg	88kg	98kg
Fuel Capacity	6.3L		6L	6L
LxWxH(mm)	1840x670x1160mm	1730x675x1220mm	1930x710x1120mm	1930x710x1120mm
Colors	White, Black	White, Black	White, Black	White, Black



Noble-50/100



Noble-125B/D



Thunder Bike-50/100



Thunder Bike-125B/D



Air Tech(Super Sonic)50/100

Engine

Displacement	49.3 c.c./95.57c.c.	124 c.c.	49.3 c.c./95.57c.c.	124 c.c.	49.3 c.c./95.57c.c.
Type	2-stroke	4-stroke	2-stroke	4-stroke	2-stroke
Cooling	Air Cooled	Air Cooled	Air Cooled	Air Cooled	Air Cooled
Starting System	Electric and Kick	Electric and Kick	Electric and Kick	Electric and Kick	Electric and Kick
Transmission	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)

Suspension

Front Suspension	Grease Shock Absorber	Grease Shock Absorber	Grease Shock Absorber	Grease Shock Absorber	Grease Shock Absorber
Rear Suspension	Adjustable Hydraulic Shock Absorber	Hydraulic Shock Absorber	Adjustable Hydraulic Shock Absorber	Hydraulic Shock Absorber	Adjustable Hydraulic Shock Absorber

Brake

Front Brake	Single Disc for (I) (III) Dual Disc for (II)	Disc Drum for 125B	Single Disc for (I) (III) Dual Disc for (II)	Disc Drum for 125B	Single Disc for (I) (III) Dual Disc for (II)
Rear Brake	Drum	Disc for 125D	Drum	Disc for 125D	Drum

Tire

Front Tire	120x70-12	120x70-12	120x70-12	120x70-12	120x70-12
Rear Tire	120x70-12	120x70-12	120x70-12	120x70-12	120x70-12
Rim (Standard Option)	Iron for (I)	Iron for 125B	Iron for (I)	Iron for 125B	Iron for (I)

Dimension

Dry Weight	81kg/82kg	98kg	81kg/82kg	98kg	81kg/82kg
Fuel Capacity	6L	6L	6L	6L	6L
LxWxH(mm)	1780x675x1060mm	1780*675*1060mm	1780x675x1060mm	1780x675x1060mm	1780x675x1060mm
Colors	Red, Blue, Yellow, Silver, Black, Dark Grey	Red, Blue, Yellow, Silver, Black, Dark Grey	Red, Blue	Red, Blue	Red, Yellow, Dark Grey



Air Tech(Super Sonic)125



Panther 50/100



Silver Fox 50/100



Road Tracer 50/100



HX-125

Engine

Displacement	124 c.c.	49.3 c.c./95.57c.c.	49.3 c.c./95.57c.c.	49.3 c.c. /95.57c.c.	124 c.c.
Type	4-stroke	2-stroke	2-stroke	2-stroke	4-stroke
Cooling	Air Cooled	Air Cooled	Air Cooled	Air Cooled	Air Cooled
Starting System	Electric and Kick	Electric and Kick	Electric and Kick	Electric and Kick	Electric and Kick
Transmission	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)	CVT(V-Belt)	Manual clutch, Manual shift, 5 speed
Suspension					
Front Suspension	Grease Shock Absorber	Grease Shock Absorber	Grease Shock Absorber	Telescope	Telescope type, oil damped
Rear Suspension	Hydraulic Shock Absorber	Hydraulic Shock Absorber	Hydraulic Shock Absorber	Hydraulic Shock Absorber	Single shock
Brake					
Front Brake	Disc Drum for 125B	Disc	Disc	Disc	Disc
Rear Brake	Disc for 125D	Drum	Drum	Drum	Drum
Tire					
Front Tire	120x70-12	120x70-12	120x90-10 or 130x60-13	120x90-10	120x70-12
Rear Tire	120x70-12	120x70-12	130x90-10 or 130x60-13	120x90-10	120x70-12
Rim (Standard Option)	Iron for 125B	Iron / Alloy	Iron	Iron	Alloy
Dimension	Alloy for 125D				
Dry Weight	98kg	81kg/82kg	81kg/82kg	75kg	108kg
Fuel Capacity	6L	6L	6L	6L	6L
LxWxH(mm)	1780x675x1060mm	1730x685x1030mm	1730x680x1070mm	1560x700x920mm	1770x 812x 1010mm
Colors	Red, Yellow, Dark Grey	Red, Blue, Yellow	Red, Blue, Yellow, Black, Dark Grey	Yellow/Black	White,Red,Blue